

540 US Hwy. 202, Far Hills, NJ 07931

Peters Todd's Inc. Consumer Information Notice

NJ state law N.J.A.C. 7:30-9.10 requires us to provide the following information:

- This notice lists any label precautions for the pesticides listed below that you should be aware of.
- You may request notification of the exact date of any pesticide application and a copy of the label for each pesticide that will be used.
- Material labels and safety data sheets are available upon request.
- Signs will be posted by our applicators. Dispose of them after 72 hours or as directed for special sprays.
- We will spray on schedule except in cases of rain or high winds. We will leave a card to let you know that we have been out to your property.
- National Pesticide Information Center (General health and toxicity questions) (800) 858-7378.
- NJDEP Pesticide Control Program (Pesticide regulation and complaints) (609) 984-6507.
- NJ Poison Information & Education System (800) 222-1222 (Emergencies)
- Be aware that sanitation, as well as physical and biological control measure should be considered as another
 part of a good pest program. Pesticides are substances used to control living organisms and vary in degree of toxicity.

Peters Todd's Inc. Pest Management Materials								
<u>Brand</u>	Active Ingredient	Precautions		Brand	Active Ingredient	Precautions		
Abamectin 0.15EC	Abamectin	2, 4, 7		Lucid	Abamectin	2, 4, 7		
Ag Streptomycin	Streptomycin Sulfate	1(b), 6, 7, 8		Mefenoxam 2 AQ	Mefenoxam	4, 7, 8		
Agrî-Fos	mono-and di-potassium salts of Phosphorous Acid	1(a), 3(b), 4, 7		M-Pede	Potassium salts of fatty acids	3(b), 7, 8		
Amtide Imidacloprid 2F	Imidacloprid	2, 3, 4		Omni Supreme Oil	Omni Supreme Oil Mineral Oil			
ArborMectin	emamectin benzoate	1(a), 2, 3(a)		Onyx Pro Bifenthrin		1, 2, 3, 4		
ArborOTC	Oxytetracycline	2, 7		Penncozeb 75 DF Zinc ion and manganese ethylenebisdithiocarbamate		2, 3(b)		
Ardent 0.15EC	Abamectin	2, 4, 7		Permethrin	Permethrin	2, 3, 4		
Bifen I/T	Bifenthrin	1, 2, 3, 4		QP Imidacloprid 2F	Imidacloprid	2, 3, 4		
Carbaryl 4L	Carbaryl	2, 3		QP Myclobutanil	Myclobutanil	1, 2		
Cleary 3336	Thiophanate-Methyl	1(a), 2, 3(b)		QP Propiconazole 14.3	Propiconazole	1(b), 2		
Conserve SC	Spinosad	2		QP T-Methyl 4.5	Thiophanate-Methyl	1(a), 2, 3(b)		
CuPro 5000	Copper Hydroxide	1(a), 1(b), 2, 7, 8		QualiPro Imidacloprid 75WSB	Imidacloprid			
Daconil	Chrlorothalonil	5, 7		RTSA Oil	RTSA Oil Mineral Oil			
Distance IGR	Pyriproxyfen	2, 3(b), 4, 8		Subdue Maxx Mefenoxam		4, 7, 8		
Dithane 75DF	Mancozeb	2, 3(b)		T Storm Flowable Thiophanate-Methyl		1(a), 2, 3(b)		
Foray XG	Bacillus thuringiensis	2, 3, 6		Tick Killz Cedar Oil , 2-Phenethyl Propionate, Peppermint Oil 1(c), 2, 3		1(c), 2, 3(a),3(b),4		
Forbid 4F	Spriomesefin	2, 3(b), 4, 8		Timectin 0.15 EC T&O Abamectin 2, 4		2, 4, 7		
Kocide 2000	Copper Hydroxide	1(a), 1(b), 2, 7, 8		Tree-age	emamectin benzoate	1(a), 2, 3(a)		

Precautions (as found on labels of concentrated products):

- 1. (a)Harmful if swallowed. (b)Avoid breathing spray mist or vapors. (c)Avoid contamination of food. (d) Keep pets off treated area.
- 2. Do not take internally. Avoid breathing dust or spray mist. Avoid contact with eyes, skin or clothing.
- 3. (a)Keep pets and children off treated area until dry. (b)Wash thoroughly with soap and water after handling.
- 4. May be harmful or fatal if swallowed, inhaled or absorbed through skin.
- $5.\ Fatal\ if\ swallowed.\ Do\ not\ breathe\ spray\ mist.\ Avoid\ contact\ with\ eyes,\ skin\ and\ clothing.$
- 6. May irritate eyes, nose, throat and skin. May be harmful if inhaled or swallowed. Keep away from sparks.
- 7. Harmful if absorbed through skin. Avoid contact with eyes, skin and clothing.
- 8. Causes eye irritation. Avoid contact with eyes or clothing.

(See reverse for material used and timing of each application)

Material Codes for Peters Todd's Inc. Spray Services

TREATMENT	DATES	MATERIAL CODE(S)	
Spring and Fall Dormant Spray	March-Apr, OctNov	1, 8	
Boxwood Leafminer Spray	Early May	3, 5, 6, 38, 54	
Fungicide Spray (Crabapple, Pine, Douglas	April-May	4,21,22,23,24,25,28, 29, 47, 48,	
Fir, Dogwood, etc.)	April-iviay	59, 61	
Fruit Tree Spray	Throughout growing	1, 2, 7, 8, 9, 12, 18, 20, 21, 28,	
Fruit Tree Spray	season	40, 41, 47, 59, 62	
Sawfly Spray	April	3, 5, 20, 54	
Spring Foliar Spray	May-June	2,7	
Summer Spray (shrub application)	July-August	3, 20, 54	
Anti-Transpirant Spray	November-December	14	
Imidacloprid	Timing based on	5, 6, 38, 55	
mudeloprid	proposal/work order	3, 0, 30, 33	
Phytophthora Root Rot	Timing based on	11, 12, 13 1, 3, 8, 10, 39, 40, 41, 54	
, ,	proposal/work order		
Scale Spray	Timing based on proposal/work order		
Adda Association	Timing based on	1, 3, 8, 42, 43, 45, 50	
Mite Application	proposal/work order		
Tick Application	Timing based on	3,39,40,41,52	
Tree Application	proposal/work order	3,33,10,11,32	
Emerald Ash Borer (EAB)	Timing based on	5, 6, 37, 38, 54, 55, 57	
, ,	proposal/work order		
Bacterial Leaf Scorch (BLS)	Timing based on proposal/work order	56	
	proposal/work order		

Compare the material code above to the corresponding materials below and Manufacturer's Precautions on reverse side

1	Omni Supreme Oil	33	Avid 0.15EC
2	Carbaryl 4L	35	Onyx Pro
3	UpStar Gold	37	Tree-age
4	Cleary 3336	38	Xytect 2F
5	Amtide Imidacloprid 2F	39	Tengard SFR
6	QP Imidacloprid 2F	40	Astro
7	Foray XG	41	Permethrin
8	RTSA Oil	42	Abamectin 0.15EC
9	Ag Streptomycin	43	Ardent 0.15EC
10	Distance IGR	44	Trim-tect
11	Agri-Fos	45	Forbid 4F
12	Subdue Maxx	46	Damminix
13	Mefenoxam 2 AQ	47	Daconil
14	TransFilm	48	Dithane 75DF
15	Liquid Fence Rabbit Repellent	49	Miller Hot Sauce
16	Liquid Fence Deer & Rabbit Repellent	50	Timectin 0.15 EC T&O
17	Lucid	51	M-Pede
18	Kocide 2000	52	Tick Killz
20	Conserve SC	54	Bifen I/T
21	Myclotect	55	QualiPro Imidicloprid 75WSB
22	Procon Z	56	ArborOTC
23	QP Propiconazole 14.3	57	ArborMectin
24	T Storm Flowable	58	Cambistat
25	QP T-Methyl 4.5	59	QP Myclobutanil
28	Penncozeb 75 DF	61	Pristine
29	CuPro 5000	62	Apogee